



Bibliografía y Referencias

- Labarta Aizpun JL, De Arriba Muñoz A, Fernandez Longas A. Proct diagn ter pediátr. 2011;1:117-28.
- Fores MG. Hipofunción suprarrenal. En Pombo M (ed). Tratado de Endocrinología Pediátrica, (3ª Edición), McGraw-Hill-Interamericana, Madrid, 2002 pp 945-969/970-1005.
- Wedell A. Molecular genetic of congenital adrenal hiperplasia (21 Hydroxylase deficiency): Implicacitions for diagnosis, prognosis and treatment. Acta Paediatr 1998; 87:159-164.
- White PC, Curnow KM, Pacoe L. Disorders of steroid 11 β hydroxylase isoenzymes. Endroc Rev 1994; 15:421-438.
- Yanase T, Simpson ER, Waterman MR, 17 Hydroxylase/17,20-Hydroxylase deficiency; fron clinical investigation to molecular definition. Endocr Rev 1991;12:91-108.
- White PC, Speiser PW. Congenital adrenal hyperplasia due to 21 hidroxylase deficiency. Endocr Rev 2000:21,245-291.
- Miller WL, Genetics, diagnosis and management of 21 hydroxylase deficiency. J Clin Endocrinol Metab 1994;78:241-246.
- Azziz R, Dewailly D, Owerbach D. Nonclassical adrenal hyperplasia; current concepts J Clin Endocrinol Metab 1994; 78:810-15.
- Pang S. Congenital adrenal hyperplasia. Endocrinol Metab Clin North Am 1997;26:853-891.
- Pang S. Congenital adrenal hyperplasia owing to 3 β -hydroysteroid dehydrogenase deficiency, Endocrinol Clin North Am 2001;30(1):81-101.
- Bosee HS, Sugawara T, Strauss JF, Miller WL. The pathophysiology and genetics of congenital adrenal hyperplasia. N Engl J Med 1996;335:1870-1878.

- Donohue PA, Parket KL, Migeon CJ. Congenital Adrenal Hyperplasia, In; Scriver CR, Beaudet AL, Valle D, Sly WS, Childs B, Kinzler KW, Vogelstein B (editors). *The Metabolic and Molecular Bases of Inherited Disease*. 8th ed. New York, McGraw Hill, 2001:pp. 4077-4101.
- Ezquieta B, Cueva E, Varela CJM, Jariego C. Aportaciones del análisis molecular en la Hiperplasia suprarrenal congénita. *Acta Pediátrica* 2001 (en prensa).
- New MI, Carlson A, Obeid J, Marshall I, Cabrera MS, Goseco A, Lin-Su K, Putman AS, Wei JQ, Wilson RC. Prenatal diagnosis for congenital adrenal hyperplasia in 532 pregnancies. *J Clin Endocrinol Metab* 2001;86:5651-5657.
- White PC. Congenital adrenal hyperplasia due to 17-hydroxylase deficiency. In: Kliegman RM, Stanton BF, St. Geme J, Schor N, Behrman RE. *Nelson Textbook of Pediatrics*. 19th ed. Philadelphia, Pa: Saunders Elsevier; 2011:chap 570.
- Versión en inglés revisada por: A.D.A.M. Health Solutions, Ebix, Inc., Editorial Team: David Zieve, MD, MHA, and David R. Eltz. Previously reviewed by Chad Haldeman-Englert, MD, Wake Forest School of Medicine, Department of Pediatrics, Section on Medical Genetics, Winston-Salem.

